

# Item Technical Sheet

**Item Code: 539 - 2,9 SW - SUPERWASHABLE**



## **Standard Series Assembling:**

Cap: 539N ink colour (polyethylene) - ventilated

Plug: 539 black (polyethylene)

Barrel: 536 ink colour (polypropylene)

Filter:  $\varnothing$  5,7 x 78 mm (polyester)

Nib:  $\varnothing$  2,9 x 21 mm - not glued - (polyester)

## **Ink/Writing characteristics:**

Water based

Brilliant colours

Good skin washability

Excellent fabric washability

Ink quantity: 1,10 - 1,20 g

Minimum writing length: 330 m

Writing width: 0,5 - 1 mm depending on writing angle

Write out flow (0-25 m):  $0,11 \pm 20\%$  g

**Shelf Life:** 36 months

## **Certifications**

The Technical file and the EC Declaration of conformity are available

**Available colours:** 100

## **Notes**

Nib push in force: 3-5 Kg

# Item Technical Sheet

**Item Code: 540 SW - SUPERWASHABLE**



## **Standard Series Assembling:**

Cap: 540 ink colour (polyethylene) - ventilated

Plug: 540 black (polypropylene)

Barrel: 540 ink colour (polypropylene)

Filter:  $\varnothing$  7,5 x 70 mm (polyester)

Nib: bullet shaped (polyethylene)

## **Ink/Writing characteristics:**

Water based

Brilliant colours

Good skin washability

Excellent fabric washability

Ink quantity: 1,90 - 2,00 g

Minimum writing length: 600 m

Write out flow (0-25 m):  $0,11 \pm 20\%$  g

**Shelf Life:** 36 months

## **Certifications**

The EC Declaration and the Technical file are available.

**Available colours:** 100

## **Notes**

Not retractable nib

# Item Technical Sheet

**Item Code: 560 SW - 100 SUPERWASHABLE COLOURS**



## **Standard Series Assembling:**

Cap: 560 ink colour (polyethylene) - ventilated

Plug: 360 ink colour (polypropylene)

Barrel: 544 white (polypropylene)

Filter: Ø 6,3 x 78 mm (polyester)

Nib: conical shaped (polyester)

## **Ink/Writing characteristics:**

Water based

Brilliant colours

Good skin washability

Excellent fabric washability

Ink quantity: 1,50 - 1,60 g

Minimum writing length: 400

Write out flow (0-25 m): 0,08 g ± 20%

**Shelf Life:** 36 months

## **Certifications**

The Technical file and the EC Declaration of conformity are available

**Available colours:** 100

## **Notes**

Not sinking nib

Thick and thin writing